

Amendments to the Claims:

Please replace all prior versions, and listings, of claims in the application with the following:

1. (Currently Amended) In a distributed network of interconnected computing devices, a network virus monitor, comprising:

a virus sensor operable in a number of modes arranged to detect a computer virus in the network such that the bandwidth of the network is **minimally affected** ~~substantially unaffected~~ in a first mode in that **original** data packets continue to their destination after they are copied creating copied data packets which are analyzed for the computer virus, and wherein when the virus sensor detects the computer virus, the virus sensor switches to a second mode, wherein original data packets are analyzed and a subset of data packets determined to be infected or suspected of being infected are not returned to the network and wherein the virus monitor is able to automatically collect network environment data and assign an IP address to itself, and wherein the virus monitor automatically locates a controller in the network and registers itself with the controller, from where the virus monitor receives a rule set and an outbreak prevention policy (OPP); **and**

a traffic controller coupled to the virus sensor and the network arranged to select certain data packets wherein the selected data packets are forwarded to the virus sensor.

2. (Canceled)

3. (Currently Amended) A monitor as recited in claim **[[2]] 1**, wherein the traffic controller further comprises:

a data packet copier operable in the first mode and arranged to generate a copied data packet of each of the selected data packets wherein the selected data packets are returned to the network.

4. (Previously Presented) A monitor as recited in claim 3, wherein the data packet copier is disabled in the second mode such that the selected data packets are passed to the virus sensor.

5. (Previously Presented) A monitor as recited in claim 4, wherein the virus monitor further comprises:

a data packet protocol identifier coupled to the virus sensor arranged to identify a data packet protocol associated with the data packet infected by a computer virus.

6. (Currently Amended) A monitor as recited in claim 5, wherein the selected data packets **to be forwarded to the virus monitor** are each associated with the data packet protocol associated with the computer virus ~~such that only those data packets associated with the identified data packet protocol are selected from the network.~~

7. (Original) A monitor as recited in claim 1, wherein the virus sensor unit further comprises:

a filescan module arranged to scan a selected file for the computer virus.

8. (Previously Presented) A monitor as recited in claim 7, wherein the filescan is remotely located.

9. (Currently Amended) A monitor as recited in claim 8, wherein the remotely located filescan is used for scanning ~~large~~ selected files **larger than a set file size.**

10. (Currently Amended) A method of monitoring a distributed network of computing devices for a computer virus at a virus monitor coupled to the distributed network, comprising:

monitoring a flow of data packets in the network for the computer virus **while minimally reducing without substantially reducing** the flow of data packets **in a standby mode**, wherein data packets continue to their destination after they are copied creating copied data packets which are analyzed for the computer virus, thereby preserving network bandwidth ~~in a standby mode;~~

determining that at least one of the copied data packets is infected or suspected of being infected with the computer virus;

monitoring the flow of data packets in an inline mode wherein original data packets are analyzed and wherein data packets that are determined to be infected or suspected of infection are not returned to the flow of data packets; and

initializing the virus monitor by automatically:
collecting network environment data;
assigning an IP address to the virus monitor;
locating a controller in the network; and
registering the virus monitor with the controller, from where the virus monitor receives a rule set and an outbreak prevention policy (OPP).

11. (Original) A method as recited in claim 10, further comprising:
isolating a portion of the network infected by the computer virus; and
cleaning the isolated portion of the network.

12. (Original) A method as recited in claim 10, further comprising:
sending a virus report to a controller.

13. (Original) A method as recited in claim 10, further comprising:
copying selected ones of the flow of data packets from corresponding
original data packets retrieved from the flow of data packets based upon a packet type; and
returning the retrieved data packets to the flow of data packets.

14. (Original) A method as recited in claim 13, wherein the packet type is determined by
the detected computer virus.

15. (Currently Amended) A method as recited in claim 14, wherein a network bandwidth
associated with the standby mode is minimally affected ~~substantially unaffected~~ by the
monitoring.

16. (Canceled)

17. (Currently Amended) A computer-readable medium storing computer
code for monitoring a distributed network of computing devices for a computer virus at a virus
monitor coupled to the distributed network, the computer-readable medium comprising:
computer code for monitoring a flow of data packets in the network for the computer
virus while minimally reducing ~~without substantially reducing~~ the flow of data packets in a

standby mode, wherein data packets continue to their destination after they are copied creating copied data packets which are analyzed for the computer virus, thereby preserving network bandwidth ~~in a standby mode~~;

computer code for determining that at least one of the copied data packets is infected or suspected of being infected with the computer virus;

computer code for monitoring the flow of data packets in an inline mode wherein original data packets are analyzed and wherein data packets that are determined to be infected or suspected of infection are not returned to the flow of data packets;

computer code for automatically collecting network environment data at the virus monitor;

computer code for automatically assigning an IP address to the virus monitor; and

computer code for automatically locating a controller in the network and registering the virus monitor with the controller, from where the virus monitor receives a rule set and an outbreak prevention policy (OPP).

18. (Previously Presented) A computer-readable medium as recited in claim 17, further comprising:

computer code for isolating a portion of the network infected by the computer virus; and
computer code for cleaning the isolated portion of the network.

19. (Previously Presented) A computer-readable medium as recited in claim 17, further comprising:

computer code for sending a virus report to a controller.

20. (Previously Presented) A computer-readable medium as recited in claim 17, further comprising:

computer code for copying selected ones of the flow of data packets from corresponding original data packets retrieved from the flow of data packets based upon a packet type; and
computer code for returning the retrieved data packets to the flow of data packets.

21. (Previously Presented) A computer-readable medium as recited in claim 20, further comprising:

computer code for determining the packet type using the detected computer virus.

22. (Previously Presented) A computer-readable medium as recited in claim 21, wherein a network bandwidth associated with the standby mode is **minimally affected** ~~substantially unaffected~~ by the monitoring.

23. (Canceled)